


# RAINBOW GUTTER

*The Art Of UPVC Rainwater System*



# HIGH-TECH..... NEW BREAKTHROUGH!!!

With advanced British-European Joint technology employed, WENHONG UPVC Rainwater System is specially designed to suit the Malaysian Climate of high humidity and heavy rainfall.


This new line of Dry seal gutter system, made of unplasticized polyvinyl chloride is exceptionally strength, durable and rustfree. They are ideal for all type of buildings especially along coastal areas.

## **BENEFITS/SPECIAL FEATURES:**

- 1) Streamline, good for drainage.
- 2) Resistant to heat deformation, retain original shape with no bent, dent and break.
- 3) Dry seal system, water proofing without silicone. No leaking at the gutter joints.
- 4) Anti-corrosion and anti-ultraviolet light.
- 5) Easy to install, no skilled workmen required, low installation cost.
- 6) Lightweight, ease for storing and transportation.
- 7) No painting needed.
- 8) The attractive looking is suitable for new roof and existing roof repair.
- 9) Warranty: Five(5) years.

- 1 流綫型排水迅速
- 2 絕對防曬、不變形、不碎化
- 3 乾式防水墊，免用矽膠，水槽接頭永不滲漏
- 4 防腐蝕及紫外綫
- 5 施工快速，不須特殊技工，節省費用
- 6 輕便、不占空間，好搬運
- 7 免油漆
- 8 外觀美觀，新舊房屋及整修皆適用
- 9 保用期五年



## **SYSTEM COMPONENTS & TYPICAL INSTALLATION**



- 1 STOPEND RSD06L
- 2 GUTTER RSD01
- 3 ANGLE 90° JOINT IN RSD03E
- 4 ANGLE 90° JOINT OUT RSD03I
- 5 JOINER RSD05
- 6 OUTLET RSD02
- 7 ANGLE 45° RSD04I
- 8 STOPEND RSD06R
- 9 ELBOW(3" or 4")
- 10 PILE(3" or 4")
- 11 PILE JOINER
- 12 BRACKET RSD08



# System Components

**Gutter** RSD01





Code	A	B
RSD01	185	150 (mm)

**Joiner** RSD05




Code	A	B
RSD05	195	145 (mm)

**Outlet** RSD02




Code	A	B	C	D
RSD02	195	220	100	75 (mm)

**Stopend** RSD06




Code	A	B
RSD06L	195	70 (mm)
RSD06R	195	70 (mm)

**Angle 90° join out** RSD03I





Code	Angle	A	B	C
RSD03I	90°	195	60	250 (mm)

**Clip** RSD07





Code	A	B
RSD07	195	35 (mm)

**Angle 90° join in** RSD03E





Code	Angle	A	B	C
RSD03E	90°	195	60	250 (mm)

**Bracket** RSD08





Code	A	B	C
RSD08	185	220	150 (mm)

**Angle 45°** RSD04I





Code	Angle	A	B	C
RSD04I	45°	195	60	140 (mm)

**Seal** RSD09



Code	A	B
RSD09	10	290 (mm)





**WENHONG PLASTIC INDUSTRIES SDN. BHD.** (Co. No. 337061-T)

Lot 73, No. 178, Blk 45, 8th Mile, Bt. Kitang Road,  
P. O. Box 1603, 93732 Kuching,  
Sarawak, Malaysia.

Tel : 082 - 613197 611197 618991

Fax : 082 - 613212 617991

E-mail : [whpi@pd.jaring.my](mailto:whpi@pd.jaring.my) [whpi@streamyx.com](mailto:whpi@streamyx.com)